



900 Series

Ranges 900

ELECTRIC RANGE, CE9-20

DIMENSIONS

		<u>Article</u>	<u>Packed</u>
Length	mm	425,00	500,00
Depth	mm	900,00	990,00
Height	mm	320,00	525,00
Weigth	Kg	46,00	62,00
Volumen	m3	0,12	0,26

ELECTRICITY

<u>Electric power</u>	KW	7,00
230V - I+N		2x6+T - 40 A
230V - III		3x6+T - 40 A
400V - III+N		4x2,5+T - 25 A

WATER

Not used

GAS

Not used

STEAM

Not used

AIR

Not used

ELECTRIC RANGE, CE9-20

Made of stainless steel.

Cast iron hot- plates with shielded elements.

6 settings switch. Indicator lights.

Plates: 1 x 4000 + 1 x 3000 W


Dimensions of the plate: 300 x 300 mm.

Total power: 7 kW.

Dimensions: 425 x 900 x 290 mm.

Connections points

	X	Y	Z	Diameter	Information
ELECTRICITY	213	688	145		Prever Interruptor diferencial





900 Series

Ranges 900

ELECTRIC RANGE, CE9-40

DIMENSIONS

		<u>Article</u>	<u>Packed</u>
Length	mm	850,00	930,00
Depth	mm	900,00	990,00
Height	mm	320,00	550,00
Weigth	Kg	83,00	100,00
Volumen	m3	0,24	0,51

ELECTRICITY

<u>Electric power</u>	KW	13,00
230V -1+N		2x16+T - 80 A
230V - III		3x10+T - 50 A
400V - III+N		4x6+T - 40 A

WATER

Not used

GAS

Not used

STEAM

Not used

AIR

Not used

ELECTRIC RANGE, CE9-40

Made of stainless steel.

Cast iron hot- plates with shielded elements.

6 settings switch. Indicator lights.

Plates: 1 x 4000 + 3 x 3000 W


Dimensions of the plate: 300 x 300 mm.

Total power: 13 kW.

Dimensions: 850 x 900 x 290 mm.

Connections points

	X	Y	Z	Diameter	Information
ELECTRICITY	638	688	145		Prever Interruptor diferencial





900 Series

Ranges 900

ELECTRIC RANGE, CE9-41

DIMENSIONS

		<u>Article</u>	<u>Packed</u>
Length	mm	850,00	900,00
Depth	mm	900,00	1.045,00
Height	mm	850,00	1.100,00
Weigth	Kg	160,00	180,50
Volumen	m3	0,65	1,03

ELECTRICITY

<u>Electric power</u>	KW	19,00
230V - I+N		2x35+T - 125 A
230V - III		3x16+T - 80 A
400V - III+N		4x10+T - 50 A

WATER

Not used

GAS

Not used

STEAM

Not used

AIR

Not used

ELECTRIC RANGE, CE9-41

Made of stainless steel.

Cast iron hot- plates with shielded elements.

6 settings switch. Indicator lights.

Plates: 1 x 4000 + 3 x 3000 W

Dimensions of the plate: 300 x 300 mm.

2/1 GN oven in stainless steel, with upper and lower heating elements.

Selector switch for the elements.

Thermostatic control (130 °C – 350 °C).


Oven power: 6 kW.

Total power: 19 kW.

Dimensions: 850 x 900 x 850 mm.

Connections points

	X	Y	Z	Diameter	Information
ELECTRICITY	638	735	395		Prever Interruptor diferencial





900 Series

Ranges 900

GAS RANGE, CG9-20

DIMENSIONS

		Article	Packed
Length	mm	425,00	510,00
Depth	mm	900,00	990,00
Height	mm	320,00	532,00
Weigth	Kg	44,00	62,00
Volumen	m3	0,12	0,27

ELECTRICITY

Not used		0,00
----------	--	------

WATER

Not used

GAS

Power	KW	13,25
	Kcal/h	11.395,00
LPG	Consumption (kg/h)	0,99
	Pressure (g/cm2)	37,00
Natural Gas	Consumption (m3/h)	1,33
	Pressure (g/cm2)	18,00

STEAM

Not used

AIR

Not used

GAS RANGE, CG9-20

Made of stainless steel.

Open hobs with safety valve and thermocouples.

Pilots for ignition. Cast iron gratings and burners.

Dimensions of the grill: 425 x 350 mm.

Burners: 1 x 5,25 kW + 1 x 8 kW.


Total power: 13,25 kW

Dimensions: 425 x 900 x 290 mm.

Certificate EQNET- CE

Cgaz-1312BP4013

Connections points	X	Y	Z	Diameter	Information
GAS	370	735	132	R.3/4"G	Prever regulador y llave de corte individual





900 Series

Ranges 900

GAS RANGE, CG9-20 H

DIMENSIONS

		Article	Packed
Length	mm	425,00	990,00
Depth	mm	900,00	460,00
Height	mm	320,00	532,00
Weigth	Kg	43,00	62,00
Volumen	m3	0,12	0,24

ELECTRICITY

Not used		0,00
----------	--	------

WATER

Not used

GAS

Power	KW	18,20
	Kcal/h	15.652,00
LPG	Consumption (kg/h)	1,55
	Pressure (g/cm2)	37,00
Natural Gas	Consumption (m3/h)	2,10
	Pressure (g/cm2)	18,00

STEAM

Not used

AIR

Not used

GAS RANGE, CG9-20 H

Made of stainless steel.

Open hobs with safety valve and thermocouples.

Pilots for ignition. Cast iron gratings and burners.

Dimensions of the grill: 425 x 350 mm.

Burners: 1 x 10,2 kW + 1 x 8 kW.


Total power: 18,20 kW.

Dimensions: 425 x 900 x 290 mm.

Certificate EQNET- CE

Cgaz-1312BP4013

Connections points	X	Y	Z	Diameter	Information
GAS	370	735	132	R.3/4"G	Prever regulador y llave de corte individual





900 Series

Ranges 900

GAS RANGE, CG9-40

DIMENSIONS

		Article	Packed
Length	mm	850,00	930,00
Depth	mm	900,00	990,00
Height	mm	320,00	550,00
Weigth	Kg	79,00	100,00
Volumen	m3	0,24	0,51

ELECTRICITY

Not used			0,00
----------	--	--	------

WATER

Not used

GAS

Power	KW	28,70
	Kcal/h	24.682,00
LPG	Consumption (kg/h)	2,17
	Pressure (g/cm2)	37,00
Natural Gas	Consumption (m3/h)	2,91
	Pressure (g/cm2)	18,00

STEAM

Not used

AIR

Not used

GAS RANGE, CG9-40

Made of stainless steel.

Open hobs with safety valve and thermocouples.

Pilots for ignition. Cast iron gratings and burners.

Dimensions of the grill: 425 x 350 mm.

Burners: 2 x 5,25 kW + 1 x 8 kW + 1 x 10,2 kW.


Total power: 28,7 kW.

Dimensions: 850 x 900 x 290 mm.

Certificate EQNET- CE

Cgaz-1312BP4013

Connections points	X	Y	Z	Diameter	Information
GAS	795	735	132	R.3/4"G	Prever regulador y llave de corte individual





900 Series

Ranges 900

GAS RANGE, CG9-40 H

DIMENSIONS

		Article	Packed
Length	mm	850,00	930,00
Depth	mm	900,00	990,00
Height	mm	320,00	550,00
Weigth	Kg	79,00	100,00
Volumen	m3	0,24	0,51

ELECTRICITY

Not used		0,00
----------	--	------

WATER

Not used

GAS

Power	KW	34,20
	Kcal/h	29.412,00
LPG	Consumption (kg/h)	3,10
	Pressure (g/cm2)	37,00
Natural Gas	Consumption (m3/h)	3,85
	Pressure (g/cm2)	18,00

STEAM

Not used

AIR

Not used

GAS RANGE, CG9-40 H

Made of stainless steel.

Open hobs with safety valve and thermocouples.

Pilots for ignition. Cast iron gratings and burners.

Dimensions of the grill: 425 x 350 mm.

Burners: 3 x 8 kW + 1 x 10,2 kW.


Total power: 34,2 kW.

Dimensions: 850 x 900 x 290 mm.

Certificate EQNET- CE

Cgaz-1312BP4013

Connections points	X	Y	Z	Diameter	Information
GAS	795	735	132	R.3/4"G	Prever regulador y llave de corte individual





900 Series

Ranges 900

GAS RANGE, CG9-60

DIMENSIONS

		<u>Article</u>	<u>Packed</u>
Length	mm	1.275,00	1.350,00
Depth	mm	900,00	990,00
Height	mm	320,00	545,00
Weigth	Kg	126,00	141,00
Volumen	m3	0,37	0,73

ELECTRICITY

Not used			0,00
----------	--	--	------

WATER

Not used

GAS

Power	KW	41,95
	Kcal/h	36.077,00
LPG	Consumption (kg/h)	3,16
	Pressure (g/cm2)	37,00
Natural Gas	Consumption (m3/h)	4,24
	Pressure (g/cm2)	18,00

STEAM

Not used

AIR

Not used

GAS RANGE, CG9-60

Made of stainless steel.

Open hobs with safety valve and thermocouples.

Pilots for ignition. Cast iron gratings and burners.

Dimensions of the grill: 425 x 350 mm.

Burners: 3 x 5,25 kW + 2 x 8 kW + 1 x 10,2 kW.


Total power: 41,95 kW.

Dimensions: 1275 x 900 x 290 mm.

Certificate EQNET- CE

Cgaz-1312BP4013

Connections points	X	Y	Z	Diameter	Information
GAS	1.220	735	132	R.3/4"G	Prever regulador y llave de corte individual





900 Series

Ranges 900

GAS RANGE, CG9-60 H

DIMENSIONS

		Article	Packed
Length	mm	1.275,00	1.350,00
Depth	mm	900,00	990,00
Height	mm	320,00	545,00
Weight	Kg	126,00	141,00
Volumen	m3	0,37	0,73

ELECTRICITY

Not used		0,00
----------	--	------

WATER

Not used

GAS

Power	KW	50,20
	Kcal/h	43.172,00
LPG	Consumption (kg/h)	4,30
	Pressure (g/cm2)	37,00
Natural Gas	Consumption (m3/h)	5,45
	Pressure (g/cm2)	18,00

STEAM

Not used

AIR

Not used

GAS RANGE, CG9-60 H

Made of stainless steel.

Open hobs with safety valve and thermocouples.

Pilots for ignition. Cast iron gratings and burners.

Dimensions of the grill: 425 x 350 mm.

Burners: 5 x 8 kW + 1 x 10,2 kW.


Total power: 50,2 kW.

Dimensions: 1275 x 900 x 290 mm.

Certificate EQNET- CE

Cgaz-1312BP4013

Connections points	X	Y	Z	Diameter	Information
GAS	1.220	735	132	R.3/4"G	Prever regulador y llave de corte individual





900 Series

Ranges 900

GAS RANGE, CG9-41

DIMENSIONS

		Article	Packed
Length	mm	850,00	850,00
Depth	mm	900,00	1.045,00
Height	mm	850,00	850,00
Weigth	Kg	160,00	180,50
Volumen	m3	0,65	0,76

ELECTRICITY

Not used		0,00
----------	--	------

WATER

Not used

GAS

Power	KW	37,30
	Kcal/h	32.078,00
LPG	Consumption (kg/h)	2,85
	Pressure (g/cm2)	37,00
Natural Gas	Consumption (m3/h)	3,82
	Pressure (g/cm2)	18,00

STEAM

Not used

AIR

Not used

GAS RANGE, CG9-41

Made of stainless steel.

Open hobs with safety valve and thermocouples.

Pilots for ignition.

Cast iron gratings and burners.

Dimensions of the grill: 425 x 350 mm.

Burners: 2 x 5,25 kW + 1 x 8 kW + 1 x 10,2 kW.

2/1 GN oven in stainless steel, with burner in stainless steel. Pilot and thermocouple.

Thermostatic control (130 °C – 350 °C).

Oven burner: 8,6 kW.

Oven dimensions: 520 x 650 x 300 mm.


Total power: 37,3 kW

Dimensions: 850 x 900 x 850 mm.

Certificate EQNET- CE

Cgaz-1312BP4013

Connections points	X	Y	Z	Diameter	Information
GAS	805	635	105	R.3/4"G	Prever regulador y llave de corte individual





900 Series

Ranges 900

GAS RANGE, CG9-41 H

DIMENSIONS

		<u>Article</u>	<u>Packed</u>
Length	mm	850,00	900,00
Depth	mm	900,00	1.045,00
Height	mm	850,00	1.100,00
Weigth	Kg	160,00	183,00
Volumen	m3	0,65	1,03

ELECTRICITY

Not used			0,00
----------	--	--	-------------

WATER

Not used

GAS

Power	KW	42,80
	Kcal/h	36.808,00
LPG	Consumption (kg/h)	3,70
	Pressure (g/cm2)	37,00
Natural Gas	Consumption (m3/h)	4,70
	Pressure (g/cm2)	18,00

STEAM

Not used

AIR

Not used

GAS RANGE, CG9-41 H

Made of stainless steel.

Open hobs with safety valve and thermocouples.

Pilots for ignition. Cast iron gratings and burners.

Dimensions of the grill: 425 x 350 mm.

Burners: 3 x 8 kW + 1 x 10,2 kW.

2/1 GN oven in stainless steel, with burner in stainless steel. Pilot and thermocouple.

Thermostatic control (130 °C - 350 °C).

Oven burner: 8.6 kW.

Oven dimensions: 520 x 650 x 300 mm.


Total power: 42.58 kW.

Dimensions: 850 x 900 x 850 mm.

Certificate EQNET- CE

Cgaz-1312BP4013

Connections points	X	Y	Z	Diameter	Information
GAS	805	635	105	R.3/4"G	Prever regulador y llave de corte individual





900 Series

Ranges 900

GAS RANGE, CG9-61

DIMENSIONS

		<u>Article</u>	<u>Packed</u>
Length	mm	1.275,00	1.350,00
Depth	mm	900,00	1.000,00
Height	mm	850,00	1.100,00
Weigth	Kg	241,00	266,00
Volumen	m3	0,98	1,49

ELECTRICITY

Not used			0,00
----------	--	--	-------------

WATER

Not used

GAS

Power		KW	50,55
		Kcal/h	43.473,00
LPG	Consumption (kg/h)		3,84
	Pressure (g/cm2)		37,00
Natural Gas	Consumption (m3/h)		5,15
	Pressure (g/cm2)		18,00

STEAM

Not used

AIR

Not used

GAS RANGE, CG9-61

Made of stainless steel.

Open hobs with safety valve and thermocouples.

Pilots for ignition. Cast iron gratings and burners.

Dimensions of the grill: 425 x 350 mm.

Burners: 3 x 5,25 kW + 2 x 8 kW + 1 x 10,2 kW.

2/1 GN oven in stainless steel, with burner in stainless steel. Pilot and thermocouple.

Thermostatic control (130 °C - 350 °C).

Oven burner: 8,6 kW.

Oven dimensions: 520 x 650 x 300 mm.

Neutral cabinet.


Total power: 50,55 kW.

Dimensions: 1275 x 900 x 850 mm.

Certificate EQNET- CE

Cgaz-1312BP4013

Connections points	X	Y	Z	Diameter	Information
GAS	1.230	635	105	R.3/4"G	Prever regulador y llave de corte individual





900 Series

Ranges 900

GAS RANGE, CG9-61 H

DIMENSIONS

		<u>Article</u>	<u>Packed</u>
Length	mm	1.275,00	1.350,00
Depth	mm	900,00	1.000,00
Height	mm	850,00	1.100,00
Weigth	Kg	241,00	266,00
Volumen	m3	0,98	1,05

ELECTRICITY

Not used			0,00
----------	--	--	-------------

WATER

Not used

GAS

Power	KW	58,80
	Kcal/h	50.568,00
LPG	Consumption (kg/h)	4,80
	Pressure (g/cm2)	37,00
Natural Gas	Consumption (m3/h)	6,50
	Pressure (g/cm2)	18,00

STEAM

Not used

AIR

Not used

GAS RANGE, CG9-61 H

Made of stainless steel.

Open hobs with safety valve and thermocouples.

Pilots for ignition. Cast iron gratings and burners.

Dimensions of the grill: 425 x 350 mm.

Burners: 5 x 8 kW + 1 x 10,2 kW.

2/1 GN oven in stainless steel, with burner in stainless steel. Pilot and thermocouple.

Thermostatic control (130 °C - 350 °C).

Oven burner: 8,6 kW.

Oven dimensions: 520 x 650 x 300 mm.

Neutral cabinet.


Total power: 58,8 kW.

Dimensions: 1275 x 900 x 850 mm.

Certificate EQNET- CE

Cgaz-1312BP4013

Connections points	X	Y	Z	Diameter	Information
GAS	1.230	635	105	R.3/4"G	Prever regulador y llave de corte individual





900 Series

Ranges 900

GAS RANGE, CG9-61 OP

DIMENSIONS

		Article	Packed
Length	mm	1.275,00	1.350,00
Depth	mm	900,00	1.000,00
Height	mm	850,00	1.100,00
Weigth	Kg	241,00	266,00
Volumen	m3	0,98	1,49

ELECTRICITY

Not used		0,00
----------	--	------

WATER

Not used

GAS

Power	KW	57,95
	Kcal/h	49.837,00
LPG	Consumption (kg/h)	3,84
	Pressure (g/cm2)	37,00
Natural Gas	Consumption (m3/h)	5,15
	Pressure (g/cm2)	18,00

STEAM

Not used

AIR

Not used

GAS RANGE, CG9-61 OP

Made of stainless steel.

Open hobs with safety valve and thermocouples.

Pilots for ignition. Cast iron gratings and burners.

Dimensions of the grill: 425 x 350 mm.

Burners: 3 x 5,25 kW + 2 x 8 kW + 1 x 10,2 kW.

Big oven in stainless steel, with burner in stainless steel.

Pilot and thermocouple.

Thermostatic control (130 °C – 350 °C).

Oven dimensions: 935 x 760 x 300 mm.

Oven burner: 16 kW.


Total power: 57,95 kW.

Dimensions: 1275 x 900 x 850 mm.

Certificate EQNET- CE

Cgaz-1312BP4013

Connections points	X	Y	Z	Diameter	Information
GAS	1.230	635	105	R.3/4"G	Prever regulador y llave de corte individual





900 Series

Ranges 900

GAS RANGE, CG9-82

DIMENSIONS

		<u>Article</u>	<u>Packed</u>
Length	mm	1.700,00	1.780,00
Depth	mm	900,00	1.000,00
Height	mm	850,00	1.105,00
Weigth	Kg	292,00	351,00
Volumen	m3	1,30	1,97

ELECTRICITY

Not used		0,00
----------	--	------

WATER

Not used

GAS

Power	KW	74,60
	Kcal/h	64.156,00
LPG	Consumption (kg/h)	5,70
	Pressure (g/cm2)	37,00
Natural Gas	Consumption (m3/h)	7,64
	Pressure (g/cm2)	18,00

STEAM

Not used

AIR

Not used

GAS RANGE, CG9-82

Made of stainless steel.

Open hobs with safety valve and thermocouples.

Pilots for ignition. Cast iron gratings and burners.

Dimensions of the grill: 425 x 350 mm.

Burners: 4 x 5,2 kW + 2 x 8 kW + 2 x 10,2 kW.

Two 2/1 GN ovens in stainless steel, with burner in stainless steel.

Pilots and thermocouples.

Thermostatic control (130 °C – 350 °C).

Oven burner: 8,6 kW.

Oven dimensions: 520 x 650 x 300 mm.


Total power: 74,6 kW.

Dimensions: 1.700 x 900 x 850 mm.

Certificate EQNET- CE

Cgaz-1312BP4013

Connections points	X	Y	Z	Diameter	Information
GAS	805	635	105	R.3/4"G	Prever regulador y llave de corte individual
GAS	1.655	635	105	R.3/4"G	Prever regulador y llave de corte individual





900 Series

Ranges 900

GAS RANGE SOLID TOP, CGF9-120-D

DIMENSIONS

		Article	Packed
Length	mm	1.275,00	1.355,00
Depth	mm	900,00	1.000,00
Height	mm	320,00	545,00
Weigth	Kg	149,00	172,00
Volumen	m3	0,37	0,74

ELECTRICITY

Not used		0,00
----------	--	------

WATER

Not used

GAS

Power	KW	25,00
	Kcal/h	21.500,00
LPG	Consumption (kg/h)	2,26
	Pressure (g/cm2)	37,00
Natural Gas	Consumption (m3/h)	2,87
	Pressure (g/cm2)	18,00

STEAM

Not used

AIR

Not used

GAS RANGE SOLID TOP WITH OPEN BURNERS, CGF9-120-D

Made of stainless steel.

2 open hobs with safety valve and thermocouples.

Pilots for ignition. Cast iron gratings and burners.

Dimensions of the grill: 425 x 350 mm.

Burners: 1 x 8 kW + 1 x 5,25 kW.

One solid top on the work-top, cast iron burner with firebrick protection ensuring even heat distribution.

Dimensions of the solid top plate: 840 x 695 mm. Top plate on the right.

Piezoelectric burner ignition.

Solid top power: 11,75 kW.


Total power: 25 kW.

Dimensions: 1275 x 900 x 290 mm.

Certificate EQNET- CE

Cgaz-1312BP4013

Connections points	X	Y	Z	Diameter	Information
GAS	1.230	635	105	R.3/4"G	Prever regulador y llave de corte individual





900 Series

Ranges 900

GAS RANGE SOLID TOP, CGF9-120-I

DIMENSIONS

		Article	Packed
Length	mm	1.275,00	1.355,00
Depth	mm	900,00	1.000,00
Height	mm	320,00	545,00
Weigth	Kg	149,00	172,00
Volumen	m3	0,37	0,74

ELECTRICITY

Not used		0,00
----------	--	------

WATER

Not used

GAS

Power	KW	25,00
	Kcal/h	21.500,00
LPG	Consumption (kg/h)	2,26
	Pressure (g/cm2)	37,00
Natural Gas	Consumption (m3/h)	2,87
	Pressure (g/cm2)	18,00

STEAM

Not used

AIR

Not used

GAS RANGE SOLID TOP WITH OPEN BURNERS, CGF9-120-I

Made of stainless steel.

2 open hobs with safety valve and thermocouples.

Pilots for ignition. Cast iron gratings and burners.

Dimensions of the grill: 425 x 350 mm.

Burners: 1 x 8 kW + 1 x 5,25 kW.

One solid top on the work-top, cast iron burner with firebrick protection ensuring even heat distribution.

Dimensions of the solid top plate: 840 x 695 mm. Top plate on the left.

Piezoelectric burner ignition.

Solid top power: 11,75 kW.


Total power: 25 kW.

Dimensions: 1275 x 900 x 290 mm.

Certificate EQNET- CE

Cgaz-1312BP4013

Connections points	X	Y	Z	Diameter	Information
GAS	1.230	635	105	R.3/4"G	Prever regulador y llave de corte individual




900 Series
Ranges 900
GAS RANGE SOLID TOP, CGF9-121-I
DIMENSIONS

		<u>Article</u>	<u>Packed</u>
Length	mm	1.275,00	1.355,00
Depth	mm	900,00	998,00
Height	mm	850,00	1.100,00
Weigth	Kg	264,00	300,00
Volumen	m3	0,98	1,49

ELECTRICITY

Not used		0,00
----------	--	-------------

WATER

Not used

GAS

Power	KW	33,60
	Kcal/h	28.896,00
LPG	Consumption (kg/h)	2,60
	Pressure (g/cm2)	37,00
Natural Gas	Consumption (m3/h)	3,20
	Pressure (g/cm2)	18,00

STEAM

Not used

AIR

Not used

GAS RANGE SOLID TOP WITH OPEN BURNERS AND OVEN, CGF9-121-I

Made of stainless steel.

2 open hobs with safety valve and thermocouples.

Pilots for ignition. Cast iron gratings and burners.

Dimensions of the grill: 425 x 350 mm.

Burners: 1 x 5,25 kW + 1 x 8 kW.

One solid top on the work-top, cast iron burner with firebrick protection ensuring even heat distribution.

Dimensions of the solid top plate: 840 x 695 mm.

Top plate on the left.

Piezoelectric burner ignition.

Solid top power: 11,75 kW.

2/1 GN oven in stainless steel, with burner in stainless steel. Pilot and thermocouple.

Thermostatic control (130 °C - 350 °C).

Oven burner: 8,6 kW.

Oven dimensions: 520 x 650 x 300 mm.

Neutral cabinet.


Total power: 33,60 kW.

Dimensions: 1275 x 900 x 850 mm.

Certificate EQNET- CE

Cgaz-1312BP4013

Connections points	X	Y	Z	Diameter	Information
GAS	1.230	635	105	R.3/4"G	Prever regulador y llave de corte individual




900 Series
Ranges 900
GAS RANGE SOLID TOP, CGF9-121-D
DIMENSIONS

		<u>Article</u>	<u>Packed</u>
Length	mm	1.275,00	1.355,00
Depth	mm	900,00	998,00
Height	mm	850,00	1.100,00
Weight	Kg	264,00	300,00
Volumen	m3	0,98	1,49

ELECTRICITY

Not used		0,00
----------	--	-------------

WATER

Not used

GAS

Power	KW	33,60
	Kcal/h	28.896,00
LPG	Consumption (kg/h)	2,60
	Pressure (g/cm2)	37,00
Natural Gas	Consumption (m3/h)	3,20
	Pressure (g/cm2)	18,00

STEAM

Not used

AIR

Not used

GAS RANGE SOLID TOP WITH OPEN BURNERS AND OVEN, CGF9-121-D

Made of stainless steel.

2 open hobs with safety valve and thermocouples.

Pilots for ignition. Cast iron gratings and burners.

Dimensions of the grill: 425 x 350 mm.

Burners: 1 x 5,25 kW + 1 x 8 kW.

One solid top on the work-top, cast iron burner with firebrick protection ensuring even heat distribution.

Dimensions of the solid top plate: 840 x 695 mm.

Top plate on the right.

Piezoelectric burner ignition.

Solid top power: 11,75 kW.

2/1 GN oven in stainless steel, with burner in stainless steel. Pilot and thermocouple.

Thermostatic control (130 °C - 350 °C).

Oven burner: 8,6 kW.

Oven dimensions: 520 x 650 x 300 mm.

Neutral cabinet.


Total power: 33,60 kW.

Dimensions: 1275 x 900 x 850 mm.

Certificate EQNET- CE

Cgaz-1312BP4013

Connections points	X	Y	Z	Diameter	Information
GAS	1.230	635	105	R.3/4"G	Prever regulador y llave de corte individual





900 Series

Ranges 900

GAS RANGE SOLID TOP, CG9-10

DIMENSIONS

		<u>Article</u>	<u>Packed</u>
Length	mm	850,00	930,00
Depth	mm	900,00	990,00
Height	mm	320,00	600,00
Weigth	Kg	134,00	159,00
Volumen	m3	0,24	0,55

ELECTRICITY

Not used		0,00
----------	--	-------------

WATER

Not used

GAS

Power	KW	11,75
	Kcal/h	10.105,00
LPG	Consumption (kg/h)	0,92
	Pressure (g/cm2)	37,00
Natural Gas	Consumption (m3/h)	1,24
	Pressure (g/cm2)	18,00

STEAM

Not used

AIR

Not used

GAS RANGE SOLID TOP, CG9-10

Made of stainless steel.

Consists of: solid top on the work-top, cast iron burner with firebrick protection ensuring even heat distribution.

Dimensions of the solid top plate: 840 x 695 mm.

Piezoelectric burner ignition.


Power: 11,75 kW.

Dimensions: 850 x 900 x 290 mm.

Certificate EQNET- CE

Cgaz-1312BP4013

Connections points	X	Y	Z	Diameter	Information
GAS	795	735	132	R.3/4"G	Prever regulador y llave de corte individual





900 Series

Ranges 900

GAS RANGE SOLID TOP, CG9-11

DIMENSIONS

		Article	Packed
Length	mm	850,00	900,00
Depth	mm	900,00	1.045,00
Height	mm	850,00	1.095,00
Weigth	Kg	205,00	230,00
Volumen	m3	0,65	1,03

ELECTRICITY

Not used		0,00
----------	--	------

WATER

Not used

GAS

Power	KW	20,35
	Kcal/h	17.501,00
LPG	Consumption (kg/h)	1,60
	Pressure (g/cm2)	37,00
Natural Gas	Consumption (m3/h)	2,15
	Pressure (g/cm2)	18,00

STEAM

Not used

AIR

Not used

GAS RANGE SOLID TOP, CG9-11

Made of stainless steel.

Consists of: solid top on the work-top, cast iron burner with firebrick protection ensuring even heat distribution.

Dimensions of the solid top plate: 840 x 695 mm.

Piezoelectric burner ignition.

Burner of 11,75 kW.

2/1 GN oven in stainless steel, with burner in stainless steel. Pilot and thermocouple.

Thermostatic control (130 °C - 350 °C).

Oven burner: 8,6 kW.

Oven dimensions: 520 x 650 x 300 mm.


Total power: 20,35 kW.

Dimensions: 850 x 900 x 850 mm.

Certificate EQNET- CE

Cgaz-1312BP4013

Connections points	X	Y	Z	Diameter	Information
GAS	805	635	105	R.3/4"G	Prever regulador y llave de corte individual





900 Series

Ranges 900

GAS RANGE WITH FRY-TOP, CG9-51 L

DIMENSIONS

		Article	Packed
Length	mm	1.275,00	1.355,00
Depth	mm	900,00	1.000,00
Height	mm	850,00	1.145,00
Weigth	Kg	213,00	263,00
Volumen	m3	0,98	1,55

ELECTRICITY

Not used			0,00
----------	--	--	------

WATER

Not used

GAS

Power	KW	46,64
	Kcal/h	40.110,40
LPG	Consumption (kg/h)	3,84
	Pressure (g/cm2)	37,00
Natural Gas	Consumption (m3/h)	4,81
	Pressure (g/cm2)	18,00

STEAM

Not used

AIR

Not used

GAS RANGE WITH FRY-TOP, CG9-51 L

Made of stainless steel.

Open hobs with safety valve and thermocouples.

Pilots for ignition.

Cast iron gratings and burners.

Dimensions of the grill: 425 x 350 mm.

Burners: 2 x 5,25 kW + 1 x 8 kW + 1 x 10,2 kW.

2/1 GN oven in stainless steel, with burner in stainless steel. Pilot and thermocouple.

Thermostatic control (130 °C - 350 °C).

Oven burner: 8,6 kW.

Oven dimensions: 520 x 650 x 300 mm.

Thermostat control of the hot-plate temperature.

Smooth hot-plate on the right side with tubular burner made of stainless steel.

Power: 9,34 kW..

Fat collector under the grill.

Neutral cabinet.


Total power: 46,64 kW.

Dimensions: 1275 x 900 x 850 mm.

Certificate EQNET- CE

Cgaz-1312BP4013

Connections points	X	Y	Z	Diameter	Information
GAS	1.230	635	105	R.3/4"G	Prever regulador y llave de corte individual





900 Series

Ranges 900

GAS RANGE WITH FRY-TOP, CG9-51 R

DIMENSIONS

		Article	Packed
Length	mm	1.275,00	1.355,00
Depth	mm	900,00	1.000,00
Height	mm	850,00	1.145,00
Weigth	Kg	213,00	263,00
Volumen	m3	0,98	1,55

ELECTRICITY

Not used		0,00
----------	--	------

WATER

Not used

GAS

Power	KW	46,64
	Kcal/h	40.110,40
LPG	Consumption (kg/h)	3,84
	Pressure (g/cm2)	37,00
Natural Gas	Consumption (m3/h)	4,81
	Pressure (g/cm2)	18,00

STEAM

Not used

AIR

Not used

GAS RANGE WITH FRY-TOP, CG9-51 R

Made of stainless steel.

Open hobs with safety valve and thermocouples.

Pilots for ignition.

Cast iron gratings and burners.

Dimensions of the grill: 425 x 350 mm.

Burners: 2 x 5,25 kW + 1 x 8 kW + 1 x 10,2 kW.

2/1 GN oven in stainless steel, with burner in stainless steel. Pilot and thermocouple.

Thermostatic control (130 °C - 350 °C).

Oven burner: 8,6 kW.

Oven dimensions: 520 x 650 x 300 mm.

Thermostat control of the hot-plate temperature.

Ribbed hot-plate on the right side with tubular burner made of stainless steel.

Power: 9,34 kW..

Fat collector under the grill.

Neutral cabinet.


Total power: 46,64 kW.

Dimensions: 1275 x 900 x 850 mm.

Certificate EQNET- CE

Cgaz-1312BP4013

Connections points	X	Y	Z	Diameter	Information
GAS	1.230	635	105	R.3/4"G	Prever regulador y llave de corte individual





900 Series

Ranges 900

GAS RANGE WITH FRY-TOP, CG9-51 CL

DIMENSIONS

		<u>Article</u>	<u>Packed</u>
Length	mm	1.275,00	1.355,00
Depth	mm	900,00	1.000,00
Height	mm	850,00	1.145,00
Weigth	Kg	213,00	263,00
Volumen	m3	0,98	1,55

ELECTRICITY

Not used		0,00
----------	--	-------------

WATER

Not used

GAS

Power	KW	46,64
	Kcal/h	40.110,40
LPG	Consumption (kg/h)	3,84
	Pressure (g/cm2)	37,00
Natural Gas	Consumption (m3/h)	4,81
	Pressure (g/cm2)	18,00

STEAM

Not used

AIR

Not used

GAS RANGE WITH FRY-TOP, CG9-51 CL

Made of stainless steel.

Open hobs with safety valve and thermocouples.

Pilots for ignition.

Cast iron gratings and burners.

Dimensions of the grill: 425 x 350 mm.

Burners: 2 x 5,25 kW + 1 x 8 kW + 1 x 10,2 kW.

2/1 GN oven in stainless steel, with burner in stainless steel. Pilot and thermocouple.

Thermostatic control (130 °C - 350 °C).

Oven burner: 8,6 kW.

Oven dimensions: 520 x 650 x 300 mm.

Thermostat control of the hot-plate temperature.

Smooth hot-plate on the right side with tubular burner made of stainless steel. Power: 9,34 kW. Chromium coated steel hot-plate, 50 microns.

Fat collector under the grill.

Neutral cabinet.


Total power: 46,64 kW.

Dimensions: 1275 x 900 x 850 mm.

Certificate EQNET- CE

Cgaz-1312BP4013

Connections points	X	Y	Z	Diameter	Information
GAS	1.230	635	105	R.3/4"G	Prever regulador y llave de corte individual





900 Series

Ranges 900

GAS RANGE WITH FRY-TOP, CG9-51 CR

DIMENSIONS

		Article	Packed
Length	mm	1.275,00	1.355,00
Depth	mm	900,00	1.000,00
Height	mm	850,00	1.145,00
Weight	Kg	213,00	263,00
Volumen	m3	0,98	1,55

ELECTRICITY

Not used		0,00
----------	--	------

WATER

Not used

GAS

Power	KW	46,64
	Kcal/h	40.110,40
LPG	Consumption (kg/h)	3,84
	Pressure (g/cm2)	37,00
Natural Gas	Consumption (m3/h)	4,81
	Pressure (g/cm2)	18,00

STEAM

Not used

AIR

Not used

GAS RANGE WITH FRY-TOP, CG9-51 CR

Made of stainless steel.

Open hobs with safety valve and thermocouples.

Pilots for ignition.

Cast iron gratings and burners.

Dimensions of the grill: 425 x 350 mm.

Burners: 2 x 5,25 kW + 1 x 8 kW + 1 x 10,2 kW.

2/1 GN oven in stainless steel, with burner in stainless steel. Pilot and thermocouple.

Thermostatic control (130 °C - 350 °C).

Oven burner: 8,6 kW.

Oven dimensions: 520 x 650 x 300 mm.

Thermostat control of the hot-plate temperature.

Ribbed hot-plate on the right side with tubular burner made of stainless steel. Power: 9,34 kW. Chromium coated steel hot-plate, 50 microns.

Fat collector under the grill.

Neutral cabinet.


Total power: 46,64 kW.

Dimensions: 1275 x 900 x 850 mm.

Certificate EQNET- CE

Cgaz-1312BP4013

Connections points	X	Y	Z	Diameter	Information
GAS	1.230	635	105	R.3/4"G	Prever regulador y llave de corte individual





900 Series

Ranges 900

GAS RANGE FOR PAELLAS, CGP9-10

DIMENSIONS

		Article	Packed
Length	mm	850,00	930,00
Depth	mm	900,00	990,00
Height	mm	320,00	620,00
Weigth	Kg	62,00	81,00
Volumen	m3	0,24	0,57

ELECTRICITY

Not used		0,00
----------	--	------

WATER

Not used

GAS

Power	KW	16,00
	Kcal/h	13.760,00
LPG	Consumption (kg/h)	1,30
	Pressure (g/cm2)	37,00
Natural Gas	Consumption (m3/h)	3,90
	Pressure (g/cm2)	18,00

STEAM

Not used

AIR

Not used

GAS RANGE FOR PAELLAS, CGP9-10

Made in stainless steel.

Double open hob on the top, with independent controls, and safety valves and thermocouples.

Pilots for ignition.

Grill in stainless steel on the top.

External burner: 11 kW.

Internal burner: 5 kW.

Dimensions of the grill: 850 x 700 mm.


Total power: 16 kW.

Dimensions: 850 x 900 x 290 mm.

Certificate EQNET- CE

Cgaz-1312BU5317

Connections points	X	Y	Z	Diameter	Information
GAS	805	635	105	R.3/4"G	Prever regulador y llave de corte individual





900 Series

Ranges 900

GAS RANGE FOR PAELLAS, CGP9-11

DIMENSIONS

		Article	Packed
Length	mm	850,00	930,00
Depth	mm	900,00	990,00
Height	mm	850,00	1.090,00
Weigth	Kg	150,00	165,00
Volumen	m3	0,65	1,00

ELECTRICITY

Not used		0,00
----------	--	------

WATER

Not used

GAS

Power	KW	23,30
	Kcal/h	20.038,00
LPG	Consumption (kg/h)	1,70
	Pressure (g/cm2)	37,00
Natural Gas	Consumption (m3/h)	3,00
	Pressure (g/cm2)	18,00

STEAM

Not used

AIR

Not used

GAS RANGE FOR PAELLAS, CGP9-11

Made in stainless steel.

Double open hob on the top, with independent controls, and safety valves and thermocouples.

Pilots for ignition.

Grill in stainless steel on the top.

External burner: 11 kW.

Internal burner: 5 kW.

Dimensions of the grill: 850 x 700 mm.

One special oven for paellas, made of stainless steel.

Oven dimensions: 730x730x300 mm.

Oven power: 7.3 kW.

Burner in stainless steel.

Pilot and thermocouple.

Thermostatic control (130 °C – 350 °C).


Total power: 23,30 kW.

Dimensions: 850 x 900 x 850 mm.

Certificate EQNET- CE

Cgaz-1312BU5317

Connections points	X	Y	Z	Diameter	Information
GAS	805	635	105	R.3/4"G	Prever regulador y llave de corte individual





900 Series

Ranges 900

GAS AND ELECTRIC RANGE, CGE9-41

DIMENSIONS

		Article	Packed
Length	mm	850,00	900,00
Depth	mm	900,00	1.045,00
Height	mm	850,00	1.100,00
Weigth	Kg	160,00	183,00
Volumen	m3	0,65	1,03

ELECTRICITY

<u>Electric power</u>	KW	6,00
230V - I+N		2x6+T - 32 A.
230V - III		3x2,5+T - 20 A.
400V - III+N		4x1,5+T - 16 A.

WATER

Not used

GAS

Power	KW	28,70
	Kcal/h	24.682,00
LPG	Consumption (kg/h)	2,17
	Pressure (g/cm2)	37,00
Natural Gas	Consumption (m3/h)	2,91
	Pressure (g/cm2)	18,00

STEAM

Not used

AIR

Not used

GAS AND ELECTRIC RANGE, CGE9-41

Made of stainless steel.

Open hobs with safety valve and thermocouples.

Pilots for ignition. Cast iron gratings and burners.

Burners: 1 x 10,2 kW + 1 x 8 kW + 2 x 5,25 kW.

Electrical 2/1 GN oven in stainless steel, with heating elements in the bottom and grill. Thermostatic control (130 °C – 350 °C).

Selector switch for the elements.

Oven power: 6 kW.

Total gas power: 28,7 kW.

Total electrical power: 6 kW

Dimensions: 850 x 900 x 850 mm.

Certificate EQNET- CE

Cgaz-1312BP4013

Connections points	X	Y	Z	Diameter	Information
ELECTRICITY	638	794	395		Prever Interruptor diferencial
GAS	805	635	105	R.3/4"G	Prever regulador y llave de corte individual

